



2100 Pennsylvania Avenue, NW  
Washington, DC 20037-3213

T 202.293.7060  
F 202.293.7860

www.sughrue.com

Darryl Mexic  
T 202-663-7909  
Dmexic@sughrue.com

December 5, 2003

**MAIL STOP PATENT APPLICATION**

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450



Re: Application of Jun WATANABE, Tsutomu WAKABAYASHI, Naoto  
AKIYAMA and Masahiko INOMATA  
ELECTRIC STIMULATOR AND DEFIBRILLATOR  
Assignee: **NIHON KOHDEN CORPORATION**  
Our Ref. Q78867

Dear Sir:

Attached hereto is the application identified above comprising twenty six (26) sheets of the specification, including the claims and abstract, ten (10) sheets(s) of drawings, a copy of an executed Assignment and PTO 1595 form, and a copy of an executed Declaration and Power of Attorney.

The Government filing fee is calculated as follows:

Total claims	<u>14</u>	-	20	=	<u>          </u>	x	\$18.00	=	<u>          </u>	\$0.00
Independent claims	<u>4</u>	-	3	=	<u>1</u>	x	\$86.00	=	<u>          </u>	\$86.00
Base Fee										\$770.00
<b>TOTAL FILING FEE</b>										<b>\$856.00</b>
Recordation of Assignment										\$40.00
<b>TOTAL FEE</b>										<b>\$896.00</b>

Checks for the statutory filing fee of \$856.00 and Assignment recordation fee of \$40.00 are attached. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account. A duplicate copy of this transmittal letter is attached.



Sughrue

SUGHRUE MION, PLLC

MAIL STOP PATENT APPLICATION

December 5, 2003

Page 2

Priority is claimed from:

Country

Application No

Filing Date

JAPAN

2002-354524

December 6, 2002

The priority document will be filed at a later date.

Respectfully submitted,  
SUGHRUE MION, PLLC

Attorneys for Applicant

By: Peter Amick Reg. No. 38,557

for Darryl Mexic  
Registration No. 23,063

SUGHRUE MION, PLLC  
Telephone: (202) 293-7060  
Facsimile: (202) 293-7860

WASHINGTON OFFICE

23373

CUSTOMER NUMBER

DM/ars